



HEALTH DISPARITIES IN MARGINALIZED COMMUNITIES: A FOCUS ON PAKISTAN

Dr. Ahmed Bilal

Department of Public Health, University of Karachi, Pakistan

Abstract

Health disparities in marginalized communities remain a significant concern in Pakistan, affecting access to healthcare, health outcomes, and overall well-being. Marginalized populations, such as rural dwellers, women, minorities, and the economically disadvantaged, face unique challenges due to socio-economic factors, cultural barriers, and limited access to healthcare resources. This article investigates the underlying causes of health disparities in these communities, focusing on Pakistan's socio-political landscape. It emphasizes the need for targeted interventions to reduce health inequities through improved healthcare access, social policies, and community-based initiatives. The study provides insights into potential solutions for improving health outcomes and fostering equity in health service delivery.

Keywords: *Marginalized Communities, Health Disparities, Socio-Economic Barriers, Pakistan Healthcare System.*

INTRODUCTION:

Health disparities are a global issue, but they are particularly pronounced in marginalized communities within developing countries such as Pakistan. These disparities often arise from factors such as poverty, education, gender inequality, and rural-urban divides. Marginalized groups in Pakistan, including those living in remote rural areas, women, refugees, ethnic minorities, and the poor, experience a disproportionate burden of poor health outcomes. The healthcare system, although improving, remains inaccessible to a large portion of the population, exacerbating these disparities.

This paper aims to examine the root causes of health disparities in Pakistan's marginalized communities, explore current health inequities, and propose solutions to address these challenges. By analyzing various socio-economic, cultural, and institutional factors, this article provides a comprehensive view of the health disparities landscape in Pakistan.

1. Overview of Health Disparities in Marginalized Communities

1.1 Definition of Health Disparities and Marginalized Communities

Health disparities refer to differences in health outcomes and access to healthcare that are closely linked with social, economic, and environmental disadvantage. These disparities are often systemic and avoidable, reflecting the unequal distribution of resources and opportunities in society.

Marginalized communities are groups that face barriers to full social, economic, and political participation due to factors such as:

- Socioeconomic status
- Ethnicity or race
- Gender identity or sexual orientation
- Disability
- Geography (e.g., rural or conflict-affected areas)
- Religious or linguistic minority status

These populations often experience limited access to quality healthcare, higher disease burdens, and worse health outcomes due to structural inequalities.

1.2 Global Perspectives on Health Disparities

Globally, health disparities remain a persistent challenge in both developed and developing countries:

- In the United States, African American, Indigenous, and Latino communities face higher rates of chronic diseases, infant mortality, and lower life expectancy.
- In sub-Saharan Africa, disparities are reflected in maternal mortality rates, HIV prevalence, and limited healthcare infrastructure.
- In Southeast Asia and Latin America, rural populations, migrants, and ethnic minorities are disproportionately affected by malnutrition, infectious diseases, and lack of health services.

Social determinants of health (SDH)—including education, housing, employment, and environment—play a critical role in driving these disparities. The World Health Organization emphasizes that addressing SDH is central to achieving health equity and meeting the Sustainable Development Goals (SDGs).

1.3 Health Disparities in Pakistan’s Marginalized Communities

Pakistan faces significant health inequalities due to a complex interplay of economic hardship, cultural norms, and governance challenges. Key marginalized groups include:

1. Women and Girls:

- Women, particularly in rural and conservative regions, experience limited access to maternal healthcare, low contraceptive use, and high rates of anemia and malnutrition.
- Gender norms restrict mobility and decision-making power, especially in accessing family planning and emergency care.

2. Rural and Remote Populations:

- Vast disparities exist between urban and rural healthcare access.
- Rural areas lack qualified health professionals, clean water, and functioning clinics.
- Immunization coverage, antenatal care, and disease surveillance are weaker in these regions.

3. Ethnic and Religious Minorities:

- Communities such as Hazaras, Ahmadis, and Hindus may experience discrimination in healthcare facilities and underrepresentation in health policy decisions.
- Language barriers and distrust of public institutions further compound access issues.

4. Transgender Community:

- Despite legal recognition, Pakistan’s transgender individuals face systemic discrimination, high levels of mental health distress, and neglect in public health services.

5. Persons with Disabilities:

- Often excluded from mainstream healthcare, individuals with disabilities face physical, informational, and attitudinal barriers that limit access to preventive and therapeutic services.

6. Urban Slum Dwellers:

- Rapid urbanization has created informal settlements with overcrowding, poor sanitation, and air pollution.
- These areas report higher rates of respiratory infections, gastrointestinal diseases, and child malnutrition.

Health disparities in marginalized communities are rooted in structural inequities that intersect with economic, gender, and geographic factors. In Pakistan and around the world, achieving health equity requires multisectoral policy reforms, inclusive healthcare delivery systems, and active engagement with affected communities. Solutions must prioritize universal health coverage, culturally competent care, and targeted interventions that dismantle systemic barriers to health.

2. Root Causes of Health Disparities in Pakistan

Health disparities in Pakistan are deeply embedded in the country's social, economic, cultural, and regional structures. The health system's capacity to deliver equitable services is hindered by widespread poverty, entrenched gender norms, and significant urban-rural gaps. Addressing these root causes is essential for achieving universal health coverage (UHC) and the Sustainable Development Goals (SDGs).

2.1 Socio-Economic Factors Contributing to Health Inequities**Poverty and Income Inequality:**

- A significant portion of Pakistan's population lives below the poverty line, limiting access to nutritious food, clean water, and basic healthcare.
- Out-of-pocket expenses make up over 60% of total health expenditure, pushing low-income families into deeper poverty during medical emergencies.
- Employment in the informal sector often lacks health insurance and social protection, restricting access to timely and adequate care.

Housing and Living Conditions:

- Poor sanitation, lack of clean drinking water, and overcrowded housing conditions in low-income neighborhoods increase the burden of communicable diseases like tuberculosis, typhoid, and diarrhea.

2.2 Gender and Cultural Barriers in Healthcare Access**Gender-Based Discrimination:**

- Patriarchal norms restrict women's autonomy in seeking healthcare, particularly in rural areas where men often control financial and mobility decisions.
- Many women require male accompaniment to visit healthcare providers, delaying or preventing timely care.

Female Health Workforce Shortages:

- A lack of female healthcare providers, especially gynecologists and community health workers, discourages women from seeking care in conservative communities.
- Cultural taboos and stigma around reproductive and mental health issues further marginalize women's health needs.

Health Rights of Transgender Individuals:

- Despite legal recognition, transgender people face discrimination in health settings, often being denied respectful treatment or misgendered, leading to avoidance of medical care.

2.3 Regional Disparities Between Rural and Urban Populations

Unequal Distribution of Resources:

- Urban centers like Lahore, Karachi, and Islamabad enjoy access to well-equipped hospitals, specialists, and diagnostic facilities.
- In contrast, rural districts often rely on understaffed Basic Health Units (BHUs) and dispensaries lacking essential supplies and trained personnel.

Transportation and Geographic Barriers:

- In remote or mountainous areas, distance to health centers and inadequate transportation infrastructure deter people from seeking healthcare.
- During emergencies or pregnancy complications, delays in reaching care often result in preventable mortality.

2.4 Educational Barriers and Their Impact on Health Literacy

Low Literacy Rates:

- Pakistan has a national literacy rate of around 58%, with even lower rates among women in rural areas.
- Lack of education contributes to poor understanding of disease prevention, nutrition, and medication adherence.

Health Misinformation:

- Limited health literacy leads to reliance on traditional healers, self-medication, or quacks, especially in low-income areas.
- Vaccine hesitancy, driven by myths and misinformation, remains a barrier to immunization campaigns.

Intergenerational Impact:

- Children in low-literacy households are less likely to receive preventive healthcare, proper nutrition, or treatment for common childhood illnesses, perpetuating a cycle of poor health and poverty.

Health disparities in Pakistan are rooted in systemic socio-economic inequalities, gender-based restrictions, regional underdevelopment, and low health literacy. These interconnected factors not only limit access to care but also undermine disease prevention and long-term health outcomes. Addressing these issues requires multi-sectoral reforms, including investments in education, gender equity, rural health infrastructure, and public awareness campaigns tailored to local contexts.

3. Current State of Healthcare in Marginalized Communities

The healthcare system in Pakistan continues to face systemic challenges, especially when serving marginalized and underserved communities. These communities—rural populations, slum dwellers, ethnic minorities, and the poor—experience severe disparities in access, quality, and affordability of healthcare services. The situation is further exacerbated by economic instability, underfunded public health systems, and infrastructural gaps.

3.1 Access to Healthcare Services in Rural and Urban Areas

Urban Areas:

- While major cities like Lahore, Karachi, and Islamabad house tertiary hospitals and private healthcare facilities, a significant portion of the urban poor live in slums and informal settlements with little to no access to primary health services.
- Public hospitals in urban areas are overcrowded and under-resourced, especially for preventive care and maternal health services.

Rural Areas:

- Nearly 63% of Pakistan's population lives in rural areas, yet rural health infrastructure is weak.

- Many villages rely on Basic Health Units (BHUs) and Rural Health Centers (RHCs), which are often understaffed, poorly equipped, and irregularly operational.
- The lack of female healthcare providers in rural areas restricts access for women and girls due to sociocultural constraints.
- Distance, transportation costs, and lack of awareness act as significant barriers to timely care.

3.2 The Role of Public Health Infrastructure

Strengths:

- Pakistan has an extensive public health infrastructure network, including over 5,000 BHUs, 650 RHCs, and numerous tertiary care hospitals.
- The Lady Health Workers (LHW) Program, initiated in the 1990s, plays a crucial role in delivering basic services, especially maternal and child health care in remote regions.

Weaknesses:

- Many public facilities lack functional medical equipment, trained staff, essential medicines, and clean water or sanitation.
- Frequent absenteeism of healthcare staff, especially doctors in rural areas, reduces the reliability of service delivery.
- Surveillance and data systems are fragmented, affecting early disease detection and health planning.
- Referral systems between primary, secondary, and tertiary care are weak or non-existent, leading to mismanagement of cases and delays in care.

3.3 The Impact of Economic Instability and Limited Healthcare Funding

Fiscal Challenges:

- Pakistan allocates less than 2% of its GDP to healthcare, far below the WHO-recommended 5%.
- Chronic underinvestment in the health sector results in inadequate salaries, staff shortages, and poor facility maintenance.

Economic Burden on Households:

- Out-of-pocket spending accounts for over 60% of total health expenditure, disproportionately affecting low-income families.
- In the absence of universal health insurance, medical emergencies often lead to catastrophic health spending, pushing households deeper into poverty.
- Lack of affordable medications and diagnostics drives people toward unqualified practitioners, increasing risks of misdiagnosis and medical malpractice.

Donor Dependency:

- Many health initiatives in marginalized areas depend on external donor funding, which can be unsustainable and inconsistent.
- Vertical programs (e.g., for TB, polio, family planning) are often not integrated into the broader health system, creating duplication and inefficiencies.

The current state of healthcare in marginalized communities in Pakistan is characterized by inadequate access, under-resourced infrastructure, and financial inaccessibility. Despite the existence of a widespread public health network, systemic inefficiencies, workforce gaps, and fiscal constraints undermine its effectiveness. Reforms must prioritize equitable resource allocation, infrastructure strengthening, and financial risk protection for vulnerable populations to bridge the healthcare divide.

4. Targeted Interventions for Reducing Health Disparities

Health disparities in Pakistan require localized, community-sensitive interventions that address the multifaceted barriers to equitable healthcare. Successful strategies include strengthening grassroots health

programs, mobilizing NGOs, and expanding state-sponsored healthcare initiatives tailored to marginalized populations.

4.1 Community-Based Healthcare Programs and Policies

- Community-based healthcare models bring essential services to remote and underserved populations through locally rooted delivery mechanisms.
- Lady Health Workers (LHW) Program: Launched in the 1990s, this initiative deploys over 90,000 trained female workers to provide maternal, neonatal, and child health services, especially in rural and peri-urban areas.
- Community Midwife Program: Offers safe delivery and antenatal care in areas lacking skilled birth attendants.
- Mobile health units and telemedicine platforms have also been piloted to expand outreach, particularly in disaster-prone and tribal regions.

These models are cost-effective and culturally sensitive, leveraging local trust and knowledge to improve healthcare uptake.

4.2 Role of Non-Governmental Organizations (NGOs)

- NGOs have historically played a critical role in bridging service gaps in healthcare delivery in Pakistan.
- Organizations like Aga Khan Health Services, Edhi Foundation, Sehat Kahani, and Marie Stopes Society provide:
 - Mobile clinics and emergency transport
 - Reproductive health services
 - Health education and awareness campaigns
- NGOs often serve as first responders in crisis settings, such as floods or disease outbreaks, particularly in areas where government services are absent or overstretched.

Their flexibility and community engagement make them ideal partners in delivering targeted, equitable healthcare interventions.

4.3 Government Initiatives to Promote Healthcare Access in Marginalized Areas

- Sehat Sahulat Program: A flagship social health insurance initiative aimed at providing free inpatient healthcare to low-income families through empaneled public and private hospitals.
- Expanded Program on Immunization (EPI): Aims to eliminate vaccine-preventable diseases, focusing on rural outreach through door-to-door vaccination drives.
- District Health Information System (DHIS2) and Real-Time Monitoring Systems enhance data transparency and decision-making at local levels.
- Provincial efforts, such as the Sindh Health Support Program and KP's Primary Healthcare Revitalization, are directed at strengthening rural infrastructure and human resources.

These interventions demonstrate growing governmental recognition of the importance of inclusive health service delivery.

5. Future Directions and Policy Recommendations

To sustainably address health disparities, Pakistan must align its health sector reforms with equity-driven, evidence-based policies supported by multi-stakeholder collaboration.

5.1 Integrating Health Equity into National Health Policies

- Health equity should be a core pillar of national frameworks such as the National Health Vision 2025 and Universal Health Coverage roadmap.

- Equity impact assessments must be embedded in all public health programs to monitor inclusion of marginalized groups.
- Resource allocation should prioritize high-burden, low-service areas, guided by health equity indicators.

5.2 Strengthening Healthcare Infrastructure in Underserved Areas

- Expand and upgrade Basic Health Units (BHUs), Rural Health Centers (RHCs), and maternal care facilities in remote and impoverished districts.
- Invest in renewable energy, digital recordkeeping, and telemedicine infrastructure for hard-to-reach communities.
- Offer incentives and training pathways to retain healthcare workers in rural areas, especially female staff.

5.3 Collaborative Efforts Between Government, NGOs, and International Organizations


- Forge public-private partnerships for co-financing, service delivery, and capacity building.
- Align efforts with global agencies such as WHO, UNICEF, GAVI, and the World Bank to leverage funding, technical expertise, and global benchmarks.
- Establish inter-sectoral coordination bodies to integrate healthcare with education, social protection, nutrition, and water/sanitation programs.

5.4 The Importance of Educational Programs in Addressing Health Literacy

- Launch community health education campaigns on hygiene, nutrition, vaccination, and reproductive health.
- Integrate health literacy modules in school curricula, especially in rural areas.
- Support adult literacy and women's education to improve household decision-making in health and well-being.

Educational empowerment is vital to enabling individuals and families to navigate healthcare systems, adopt preventive practices, and reduce dependency on informal or harmful treatment sources.


Reducing health disparities in Pakistan requires a multifaceted, inclusive, and equity-centered strategy. Community engagement, cross-sector collaboration, infrastructural investments, and sustained policy focus on health equity will be key to building a system that serves all—especially the most vulnerable. Only through such an integrated approach can Pakistan ensure healthcare justice and universal access in line with its development and constitutional goals.

Graphs and Charts:

- Graph 1: Distribution of Health Outcomes in Rural vs Urban Pakistan (2010-2025)**


A line graph illustrating the disparity in health outcomes between rural and urban populations in Pakistan. This graph shows the difference in life expectancy, infant mortality rates, and disease prevalence.

Access to Healthcare in Marginalized Communities (2025)




- Graph 2: Access to Healthcare Services in Marginalized Communities (2025)**

A pie chart displaying the percentage of marginalized communities with access to healthcare services. This chart breaks down the data by rural vs urban, gender, and income level.



• **Graph 3: Gender Disparities in Healthcare Access in Pakistan (2015-2025)**

A bar chart comparing healthcare access among men and women in marginalized communities over a ten-year period.



• **Graph 4: Impact of Socio-Economic Status on Health Outcomes in Pakistan**

A bar chart showing the correlation between socio-economic status and various health outcomes (e.g., chronic diseases, mental health issues) in marginalized populations.

Ahmed and Sohail (2021) conducted a systematic literature review on sustainable global supply chain management by examining studies published between 2010 and 2020. The review analyzed research methods, industries, countries, theories, respondents, and sustainability dimensions used in previous studies. The authors concluded that sustainable global supply chain management is an emerging research area with significant potential for further academic investigation and practical development.

Summary:

Health disparities in marginalized communities are deeply rooted in socio-economic, cultural, and infrastructural factors. In Pakistan, the rural population, women, ethnic minorities, and the poor face significant barriers in accessing quality healthcare. These disparities result in worse health outcomes and lower life expectancy compared to more privileged groups. By identifying the key factors contributing to these disparities, such as poverty, gender inequality, lack of education, and regional imbalances, this article provides recommendations for improving healthcare access. Targeted interventions, such as community-based health programs and policy reforms, are essential for reducing health inequities. Additionally, future efforts must focus on improving the healthcare infrastructure, ensuring equitable access to healthcare for all citizens, and increasing health literacy.

References:

- Bilal, A. et al. (2020). Socio-economic determinants of health disparities in Pakistan. *Journal of Public Health*, 45(2), 101-112.
- Shah, Z. (2021). Gender inequality and its impact on healthcare access in Pakistan. *Gender Studies Review*, 32(4), 222-229.
- Iqbal, H. (2022). The rural-urban divide in health outcomes in Pakistan: A critical analysis. *Pakistan Journal of Rural Health*, 10(3), 75-81.
- Javed, S., & Bilal, A. (2019). Education and health literacy in marginalized communities. *Asian Journal of Public Health*, 14(1), 56-63.
- Hussain, M., & Khalid, A. (2020). The role of non-governmental organizations in healthcare delivery in Pakistan. *Journal of Health and Social Care*, 22(1), 47-53.
- World Health Organization (2020). Health disparities in marginalized communities in South Asia. *Global Health Review*, 34(2), 45-59.
- Ahmad, S., & Iqbal, H. (2021). Healthcare funding challenges in Pakistan: Impact on marginalized populations. *Pakistan Medical Journal*, 78(4), 99-105.
- Farooq, F., & Ahmed, A. (2021). Health system reforms and their effect on health equity in Pakistan. *Journal of Health Systems Management*, 28(2), 201-208.
- Mirza, M., & Javed, S. (2019). Marginalized communities and access to maternal healthcare services in Pakistan. *International Journal of Public Health*, 22(3), 173-178.
- Latif, A., & Shah, Z. (2020). Barriers to healthcare access in rural Pakistan: A socio-economic perspective. *Rural Health Review*, 18(4), 56-63.
- Baloch, S., & Qureshi, S. (2021). The intersection of poverty and health in marginalized communities. *Social Science and Medicine*, 24(5), 345-353.
- Khan, F., & Aziz, A. (2019). Public health challenges for marginalized communities in Pakistan. *Health Policy Journal*, 40(1), 22-29.
- Akhtar, S., & Raza, A. (2020). Gender inequality and healthcare access: Insights from Pakistan. *Women's Health Review*, 25(2), 91-99.
- Rahim, A., & Shabbir, S. (2020). The role of education in improving health outcomes in marginalized populations. *Education and Health Journal*, 16(3), 123-130.
- Yousuf, H., & Malik, A. (2019). Healthcare policy reforms and marginalized communities in Pakistan. *Pakistan Health Policy Review*, 9(2), 77-85.
- Mirza, A. (2020). The role of telemedicine in improving healthcare access for rural communities. *Telemedicine and Health Journal*, 12(2), 65-71.

- Usman, M., & Javed, Z. (2021). Access to mental health services for marginalized communities in Pakistan. *Mental Health Journal*, 18(3), 232-240.
- Aftab, R., & Hameed, A. (2021). Health insurance coverage for marginalized populations: A case study from Pakistan. *International Journal of Health Economics*, 13(4), 150-158.
- Ali, R., & Hassan, S. (2021). The impact of climate change on health disparities in marginalized communities. *Environmental Health Review*, 29(3), 112-120.
- Sadiq, F., & Mehmood, S. (2022). Policy interventions to reduce health disparities in Pakistan. *Journal of Health Policy and Management*, 11(2), 72-80.
- Ahmed, S., & Sohail, N. (2021). Sustainable global supply chain: A systematic literature review. *Preprints*. <https://doi.org/10.20944/preprints202108.0204.v1>
-